The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

For a petition to be considered valid it must:

- 1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
- 2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
- 3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
- 4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Application # : FW-25138

Stream : Big Walnut Creek

Applicant : Parke County REMC

Keith Fischer

119 West High Street Rockville, IN 47872-1735

Description : A new overhead three-phase electric line will be suspended across the creek. It

will be supported by a 50' single wood pole structure approximately 55' from the top of bank on the northwest side and 28' from the top of bank on the southeast side. They will be set in an augured hole 18" in diameter by 8' deep. These will support three 336.4 mcm aluminum and steel reinforced phase conductors and one 4/0awg aluminum and steel reinforced neutral conductor with a minimum ground clearance of 27' with top of bank. Details of the project are contained in information and plans received at the Division of Water on January 16, 2009 and

February 10, 2009.

Location : At two locations approximately 400' southwest of the north end and 120'

southwest of the south end of the Oakalla Covered bridge near Greencastle, Madison Township, Putnam County

SE14, SW14, NW14, Section 25, T 14N, R 5W, Reelsville Quadrangle

Quad Code: 3908658

UTM Coordinates: Downstream 4386288 North, 507133 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

RASR010 1 02/12/2009 10:25 AM

Application # : FW-25141

Stream : Ohio River

Applicant : Town of Clarksville Parks Department

Brian Kaluzny

2000 Broadway Suite 221 Clarksville, IN 47129-7762

Description : A 2.04 mile long, 12' wide paved pedestrian trail will be constructed on top of an

existing levee adjacent to the river. In addition to the trail, a 390' long ramp will be constructed connecting the top of the existing levee with Riverside Drive. Details of the project are contained in information and plans received at the

Division of Water on January 20, 2009.

Location : The proposed access ramp is located near the end of west Riverside Drive in

Clarksville, Indiana. The ramp is near the Falls fo the Ohio State Park.

near Clarksville, Jeffersonville Township, Clark County Clark Military Grant #1, New Albany, IN-KY Quadrangle

Quad Code: 3808537

UTM Coordinates: Downstream 4236996 North, 608349 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

Application # : FW-25156

Stream : Clear Creek

Applicant : Bloomington Parks & Recreation

Dave Williams

401 North Morton, Suite 250 Bloomington, IN 47402-3729

Description

: City of Bloomington Parks and Recreation Department, using Indiana Department of Natural Resources funds, proposes to construct Phase 2 of the B-Line Trail on the abandoned CSX Railroad corridor from W. Grimes Lane to W. 2nd Street. The project corridor will pass through the Clear Creek floodway at the southern terminus of the project area. The typical trail cross section will consist of two, 5-foot wide asphalt trail lanes bordered by 1' wide stone shoulders. The trail will be confined to the former railroad alignment, with minimal vegetation removal required as a result of the corridor being in-between Morton Street and several parking lots and residential lawns. There are no stream crossings associated with this project. The trail will feature special crosswalks at the street crossings and other amenities including a roundabout and permeable pavers at the crosswalks for W. Allen Street, W. Dodds Street, W. 1st Street and W. 2nd Street. There are no stream crossings associated with this project. Details of the project are contained in information received electronically at the Division of Water on January 29, 2009 and in plans and information received at the Division of Water on

Location

The trail project is located on the former CSX Railroad corridor starting at W. Grimes Street and continues north approximately four blocks north along the railroad corridor to W. 2nd Street. The trail passes through the Clear Creek Floodway at the W. Grimes Street intersection

at Bloomington, Bloomington Township, Monroe County

Section 4, T 8N, R 1W, Bloomington Quadrangle

Quad Code: 3908625

Statute/Rule

Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

Application # : FW-25157

Stream : St. Joseph River

Applicant : \*Indiana Department of Transportation

Rick Phillbaum

100 North Senate Avenue Indianapolis, IN 46204-2273

Description : The existing bridge will be rehabilitated with a new bridge deck overlay, deck

patching, new sidewalks, concrete railing and transitions. Also new portions of the coping, new SS joints and the approach slab will be replaced. A 3' section of the deck will be replaced and surface sealing will be done on the bridge deck, approaches, and railing. The railings will be masonry coated and new guardrails will be installed at the four quadrants of the bridge. In addition, approximately 575' west of the bridge crossing along the south bank work to an existing 36" outlet is proposed. Details of the project are contained in information and plans

received at the Division of Water on January 29, 2009.

Location : At the US 19 stream crossing

DOWNSTREAM: at Elkhart, Baugo Township, Elkhart County SE¼, NE¼, NE¼, Section 12, T 37N, R 4E, Osceola Quadrangle

Quad Code: 4108661

UTM Coordinates: Downstream 4614498 North, 582766 East UPSTREAM: SW¼, NW¼, NW¼, Section 7, T 37N, R 5E

UTM Coordinates: Upstream 4614715 North, 582959 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

**IAC 10** 

RASR010 4 02/12/2009 10:25 AM

Application # : FW-25163

Stream : West Fork White River

Applicant : Muncie Sanitary District

John Anderson 5120 Kilgore Avenue Muncie, IN 47304-4710

Description

: A stormwater outfall structure will be constructed along the south bank of the West Fork White River to provide storm water drainage located landward of the floodway. A 48" RCP outfall pipe will be buried to a depth of 4.8' in the floodplain. Approximately 8,000' of pipe will carry stormwater from the project area to the creek. The pipe will terminate with a 48" RCP end section that will conform to the bank slope. There is no need for a flapgate structure because all of the manholes will be above the 100 year floodplain elevation. An energy dissipator will be constructed at the base of the end section. The dissipator will consist of riprap. Approximately a 320' x 6' area will be filled in the south floodplain of the White River for the 2' minimum depth of cover requirement over a storm sewer pipe. The fill varies in depth from less than 1" on the landward side to approximately 2' on the streamward side. It will be set 185' back from the top of the bank and will have .78% slope. The finished elevation of the fill will be 922', NGVD. Vegetation will be placed on top of the completed fill. The fill material consists of spoil material remaining from storm sewer construction. Details of the project are contained in information received electronically at the Division of Water on February 11, 2009 and in plans and information received at the Division of Water on

Location

This project is intended to reduce flooding and improve stormwater drainage in an existing neighborhood in the Perdieu Road and Ewing Drive area in Muncie, Indiana. This main 48-inch pipeline crosses under S.R. 32/Kilgore Avenue and the railroad tracks just to the south. All of the collected stormwater will be directed to the north towards an outfall into the White River

near Muncie, Center Township, Delaware County Section 18, T 20N, R 10E, Muncie West Quadrangle

Quad Code: 4008524

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

**IAC 10** 

Application # : FW-25164

Stream : Big Monon Ditch

Applicant : Monon Ditch Joint Drainage Board

Michael T Tiede

122 East Main Street, Room 200

Winamac, IN 46996

Description : Approximately 450' of Big Monon Ditch eroded south streambank will be

stabilized with riprap and stone toe to protect the bank from further erosion. The toe will be keyed into the streambed at its base and will conform to the existing bank at the project limits. It will have a maximum height of 8 ft, a maximum streamward projection of 1 ft beyond the existing bank, and 2:1 sideslopes.

Sediment will be removed from the northeast bank and spread on the overbank to restore channel conveyance capacity. Details of the project are contained in information received electronically at the Division of Water on February 11, 2009

and in plans and information received at the Division of Water on

Location : Big Monon Ditch, station 526+00 to 530+50; at CR 1350 W and CR 500 S, 1400 lf

south along ditch from CR 500 S

near Francesville, Salem Township, Pulaski County Section 10, T 29N, R 4W, Monon NE Quadrangle

Quad Code: 4008687

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

**IAC 10** 

Application # : PL-21225

Lake : Big Lake

Applicant : Roger D Sheets

3813 West Wolfe's Retreat-57 Columbia City, IN 46725-9440

Description : A 32' by 50' underwater beach will be constructed across 32' of the applicant's 39'

frontage by placing a uniform 6" layer of pea gravel on the lakebed. Details of the project are contained in information and plans received at the Division of Water

on January 15, 2009 and February 5, 2009.

Location : 3813 West Wolf's Retreat-57

near Columbia City, Noble Township, Noble County

NW1/4, NW1/4, NW1/4, Section 33, T 33N, R 9E, Merriam Quadrangle

Quad Code: 4108534

UTM Coordinates: Downstream 4570973 North, 625769 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-21227

Lake : Lake James

Applicant : Pokagon View Home Owners Association

John H. Ormmiston V.P. 55LN 560 Lake James Fremont, IN 46737

Description : A 170' by 24' group pier will be constructed along the shoreline of a common area

to provide access and mooring facilities for the Pokagon View subdivision. The proposed group pier will be composed of a 4' wide by 170' long pier with 8 perpendicular pier sections measuring 10' by 3'. The perpendicular sections will be spaced 25' apart with 4 on the north side and 4 on the south side. Details of the project are contained in information and plans received at the Division of

Water on January 20, 2009.

Location : Immediately south of 220 lane 560 (Lot 29) and north of 200 Lane 560 (Lot 28) in

Pokagon View Park sub-division

near Lake James, Jamestown Township, Steuben County

NW1/4, SW1/4, SW1/4, Section 28, T 38N, R 13E, Angola West Quadrangle

Quad Code: 4108561

UTM Coordinates: Downstream 4620221 North, 662403 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-21233

Lake : Koontz Lake

Applicant : Jason Palmater

20853 North Lake Drive Walkerton, IN 46574-9299

Description : An existing concrete seawall will be refaced across the 50' frontage of the

applicant on Koontz Lake to prevent deterioration. The refacing will consist of vinyl sheet piling which will be anchored to deadmen 12' into the property from the shoeline. The refacing will have a maximum thickness of 6". Details of the project are contained in information received electronically at the Division of Water on February 10, 2009 and in plans and information received at the Division

of Water on

Location : 20863 North Lake Drive; Lot #23 in Breezy Point 2nd Addition Sub-division to

Koontz Lake

near Koontz Lake, Polk Township, Marshall County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

RASR010 7 02/12/2009 10:25 AM